



SUREBOND

TECHNICAL DATA SHEET

S.R.B.

Stain & Rust Buster

★ CONTRACTOR GRADE FOR RESIDENTIAL AND COMMERCIAL PROJECTS ★

SUITABLE SUBSTRATES

Pavers, concrete flat work and retaining walls, etc. Can also be used on manufactured and natural stone, concrete block, clay pavers and wet cast products both horizontal and vertical applications. Not for use on asphalt.

PRODUCT DESCRIPTION

S.R.B. is a powerful, concentrated spot cleaner for use on concrete pavers, concrete flat work, retaining walls, concrete block, natural stone, and clay pavers. This technologically advanced cleaner dislodges and removes common stains such as moss, mildew, leaf, rust, blood, beverage spills and non greasy food stains. **S.R.B.'s** concentrated biodegradable formula allows for a broader spectrum of dilutions matched to your cleaning needs.

S.R.B.'s unique Clean Rinse Technology lifting power allows residue to be quickly and easily rinsed away with a high or low pressure washer.

S.R.B. is the cleaner of choice by contractors for both routine maintenance and restoration. It can be used to prepare your surface for sealing in tandem with Oil Extractor for oil stains, SureClean for surface cleaning and Efflo Off for efflorescence removal. The product can be used to clean and maintain Surebond sealed pavements as it is compatible with all Surebond sealer products. It is suitable for both horizontal and vertical surfaces.

Features	Benefits
What makes S.R.B. Stain & Rust Buster different?	
Wide Range of Stains Removed Except for difficult oil stains, then use Oil Extractor	<ul style="list-style-type: none"> Eliminates additional spot cleaners
Concentrated	<ul style="list-style-type: none"> Dilute for strength depending on your cleaning needs
Easy to Rinse	<ul style="list-style-type: none"> Clean Rinse Technology
Fast Acting	<ul style="list-style-type: none"> Works in minutes
User Friendly	<ul style="list-style-type: none"> Safe on skin

SURFACE & AIR TEMPERATURES

Excessively high or low temperatures will produce poor results. Best cleaning results are obtained when air and surface temperatures are 40°F or above. Do not clean when temperatures are below freezing or will be overnight. If freezing conditions exist, allow adequate time for surface to thaw. If air temperatures exceed 90°F, flash cool the surface with water before applying product. Do not allow product to dry on a hot surface.

PREPARATION / PRE-TESTING

Sweep and remove all loose soil and debris from the surface. Protect adjacent and surrounding surfaces not intended to be cleaned when necessary. Inspect area for visible staining to determine stain types and quantity. Before using **S.R.B.**, test on a small, inconspicuous area to determine the suitability, dilution and correct dwell time of this product for your surface. Allow test areas to dry thoroughly before evaluating final appearance and results.



DILUTION

S.R.B. is a concentrated cleaner that will need to be diluted to make this product ready for use. Dilutions will vary based on the severity of the stain and type of surface. First dilute at a **2:1** ratio (water to **S.R.B.**) to make product ready to use then follow the dilution range listed below. Under dilution (too strong) may cause damage to substrate. Only use what is needed to efficiently clean. See application instructions for proper installation.

- 2:1 for maximum strength
- 2:1 to 6:1 difficult stubborn stains
- 10:1 to 20:1 for light soil and routine cleaning on sealed surfaces

APPLICATION INSTRUCTIONS

Apply dilution of **S.R.B.** determined from pre-test using a low-pressure sprayer such as a garden sprayer or spray bottle. Allow cleaner to soak into the surface for 5 to 10 minutes. Improve results by scrubbing surface with a natural fiber brush to agitate and break down stains. Brushless cleaning requires **S.R.B.** to be applied on the surface using two applications spaced several minutes apart without allowing the product to dry on the surface. The first pass is to penetrate and the second to lift the stain out. Use of a hot water pressure washer will further break down surface stains. Rinse surface thoroughly. It may be necessary to use stronger concentrations and secondary cleanings to remove heavier, deep set stains. Only use as much pressure as needed to thoroughly clean as excessive high pressures can damage substrates.



SUREBOND

TECHNICAL DATA SHEET

S.R.B.

Stain & Rust Buster

★ CONTRACTOR GRADE FOR RESIDENTIAL AND COMMERCIAL PROJECTS ★

COVERAGE RATES

Coverage rates will vary from 100 - 250 sq. ft. per gallon of dilution depending on the surface porosity, texture and severity of staining. Coverage based on single treatment. Some applications may require additional treatments. Actual coverage may vary depending on the type, age, condition and porosity of the surface, application method and other local conditions.

PACKAGING/SIZES

Quart containers

CONTAINER HANDLING/STORAGE

Store in a cool, dry place away from acids and protect from freezing. Keep container tightly closed when not in use. Do not use pressure to empty container. Wash thoroughly after handling. Do not use container as dilution or rinsing vessel. Empty containers retain residue and must be handled as if full.

SHELF LIFE

Two years when properly stored.

SAFETY INFORMATION

Precautionary Measures: Always wear goggles and rubber gloves when handling this product. Keep off of skin and clothing. If material comes in contact with clothing, wash before reuse. The product contains hydrochloric acid. Do not get in eyes, on skin or clothing. Avoid breathing fumes. Keep container closed when not in use. Use with adequate ventilation. Applicators should wear rubber boots, gloves, face shields and/or goggles to avoid splash to bare skin and eyes. Though the potential for fuming of **S.R.B.** is minimal, take precautions to avoid exposing building occupants to fumes. Dispose of empty containers according to federal, state and local requirements. Do not dilute **S.R.B.** with any product except water. Do not use for any other applications other than specified. Do not remove label. Read Material Safety Data Sheet for additional safety and health hazard information prior to use.

INSTRUCTIONS IN CASE OF CONTACT OR EXPOSURE

Eyes: Flood with water for fifteen minutes. Seek immediate medical attention.

Skin: Wash off with soap & water. Remove contaminated clothing.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen and call a physician.

Ingestion: Drink large amounts of water. Seek immediate medical attention.

WARRANTY

Manufacturer warrants its products conform to the published specifications. No other warranties are expressed or implied, including those of merchantability or fitness or any purpose not expressly set forth herein. The user must determine suitability of the products for their particular use. Manufacturer and any seller's liability for incidental or consequential damage hereunder shall not exceed the purchase price of the product used.

ASSISTANCE & ADDITIONAL INFORMATION

For sales, specification assistance, technical questions, detailing, etc., please contact:



SEK

SUREBOND

3925 Stern Ave. • St. Charles, IL 60174

Email: info@sek.us.com

Fax: 630-762-0607

800-932-3343 | www.sek.us.com